JOURNAL OF APPLIED POLYMER SCIENCE

VOLUME I • 1959

EDITORIAL BOARD:

L. BATEMAN • J. DILLON • H. MARK • M. MORTON • F. PATAT

ADVISORY BOARD:

R. F. BOYER
Midland, Mich.

H. H. CUDD
Philadelphia, Pa.

R. DEAN
New York, N. Y.

J. D'IANNI
Akron, Ohio

A. K. DOOLITTLE
South Charleston, W. Va.

T. W. EVANS
Emeryville, Calif.

R. H. EWART
Wayne, N. J.

N. FRAGEN
Whiting, Ind.

N. G. GAYLORD
New York, N. Y.

G. HOOPER
Cleveland, Ohio

J. LE BRAS
Paris

H. W. MOHRMAN
Springfield, Mass.

J. B. NICHOLS
Wilmington, Del.

W. F. ROSEVEARE
Kingston, N. C.

F. K. SCHOENFELD
Brecksville, Ohio

W. L. SEMON
Brecksville, Ohio

W. R. SMITH
Cambridge, Mass.

W. SPARKS
Linden, N. J.

J. C. SWALLOW
Wormley

G. H. SWART
Akron, Ohio

P. WEISS
Detroit, Mich.

H. L. WILLIAMS
Sarnia, Ontario

R. W. WORK
Decatur, Ala.

INTERSCIENCE PUBLISHERS, INC. **NEW YORK • LONDON**

© 1959 by Interscience Publishers, Inc.

CONTENTS

Vol. I, Issue Nos. 1–3, 1959

Journal of Applied Polymer Science

ISSUE NO. 1, JANUARY–FEBRUARY

EDITORIAL 1

K. E. POLMANTEER and M. J. HUNTER: Polymer Composition Versus Low-Temperature Characteristics of Polysiloxane Elastomers 3

JOHN T. LAZOR: A Study of Particle Initiation in Vinyl Chloride Emulsion Polymerization Using Response Surface Experimentation 11

STANLEY J. GILL: Anisotropic Properties of Strained Viscoelastic Fluids. I. A Method for Measuring Strain Birefringence 17

LAWRENCE E. NIELSEN: The Apparent Domain Structure of Polystyrene as Revealed by Liquid and Vapor Crazing 24

ELIO PASSAGLIA and H. P. KOPPEHELE: The Force-Temperature Behavior of Swollen Cellulose Model Filaments 28

W. L. HAWKINS, R. H. HANSEN, W. MATREYEK, and F. H. WINSLOW: The Effect of Carbon Black on Thermal Antioxidants for Polyethylene 37

W. L. HAWKINS, V. L. LANZA, B. B. LOEFFLER, W. MATREYEK, and F. H. WINSLOW: New Thermal Antioxidants for Polyethylene Containing Carbon Black 43

B. G. HARPER: Preparation of Porous Membranes 50

F. E. BAILEY and R. W. CALLARD: Some Properties of Poly(ethylene oxide) in Aqueous Solution. 56

P. MASON: The Viscoelastic Behavior of Rubber in Extension 63

D. G. LLOYD: Ultraviolet Spectroscopic Studies on Aqueous Polyvinyl Alcohol Solutions. Part I. Characterization of Chromophores 70

TOD W. CAMPBELL and A. C. HAVEN, JR.: The Relationship Between Structure and Properties of Crystalline, High-Melting Polyhydrocarbons 73

J. R. DUNN and J. SCANLAN: The Aging of Thiuram Disulfide Vulcanizates and Their Mechanism of Vulcanization 84

S. L. AGGARWAL, G. P. TILLEY, and O. J. SWEETING: Orientation in Extruded Polyethylene Films 91

R. J. CERESA and W. F. WATSON: Mastication of Rubber. VII. Mechanical Degradation of Polymers During Mastication 101

A. N. GENT and A. G. THOMAS: The Deformation of Foamed Elastics Materials (With an Appendix by T. D. PENDLE) 107

S. M. OHLBERG, J. ROTH, and R. A. V. RAFF: Relationship Between Impact Strength and Spherulite Growth in Linear Polyethylene 114

MARK L. DANNIS: Thermal Expansion Measurements and Transition Temperatures, First and Second Order 121

LETTERS TO THE EDITORS

D. W. LEVI, P. C. SCHERER, K. WASHIMI, and W. L. HUNTER: Viscosity of Polyvinyl Alcohol 127

ISSUE NO. 2, MARCH–APRIL

A. A. RADY: Dynamical Properties of the New "Rubber-like" Irradiated Polyethylene 129

C. E. REID and E. J. BRETON: Water and Ion Flow Across Cellulosic Membranes 133

EUGENE F. HAUGH: Time, Temperature, and Linear Viscoelasticity 144

S. F. KURATH, E. PASSAGLIA, and R. PARISER: The Dynamic Mechanical Properties of Hypalon-20 Synthetic Rubber at Small Strains 150

C. E. SCHWEITZER, R. N. MACDONALD, and J. O. PUNDERSON. Thermally Stable High Molecular Weight Polyoxymethylenes 158

T. A. KOCH and P. E. LINDVIG: Molecular Structure of High Molecular Weight Acetal Resins 164

C. F. HAMMER, T. A. KOCH, and J. F. WHITNEY: Fine Structure of Acetal Resins and Its Effect on Mechanical Properties 169

W. H. LINTON and H. H. GOODMAN: Physical Properties of High Molecular Weight Acetal Resins 179

R. G. ALSUP, J. O. PUNDERSON, and G. F. LEVERETT: The Effect of Solvents on High Molecular Weight, Stable Acetal Resins 185

DAVID A. ANDERSON and ELI S. FREEMAN: The Kinetics of the Thermal Degradation of the Synthetic Styrenated Polyester, Laminac 4116 192

I. M. KOLTHOFF and E. J. MEEHAN: Redox Recipes. X. A Recipe with Ferric Versenate, Sodium Dithionite, and Hydroperoxide as Activating System (Veroxathionite Recipe) 200

H. A. BECKER: A Study of Diffusion in Solids of Arbitrary Shape, with Application to the Drying of the Wheat Kernel 212

Yoichi Ishida, Masatsugu Yōshino, Motowo Takayanagi, and Fujio Irie: Dielectric Studies on Cellulose Fibers ... 227
Howard W. Starkweather, Jr., and Richard E. Brooks: Effect of Spherulites on the Mechanical Properties of Nylon 66 ... 236
F. Bueche: Dynamics of Loosely Crosslinked Polymer Networks ... 240
L. Mullins and W. F. Watson: Mastication. IX. Shear-Dependence of Degradation on Hot Mastication ... 245

BOOK REVIEWS

Problems in Wood Chemistry. Reviewed by Carl de Zeeuw ... 250
The Effects of Ionizing Radiation on Natural and Synthetic High Polymers, Frank A. Bovey. Reviewed by Robert B. Mesrobian ... 250

LETTERS TO THE EDITORS

G. F. Baumann and Samuel Steingiser. Colorimetric Differentiation of Polyester- and Polyether-Based Urethane Polymers ... 251
Y. Shinohara: Dynamic Mechanical Properties of Graft Copolymers of Nylon ... 251
W. Cooper and G. Vaughan: The Graft Polymerization of Methyl Methacrylate to Natural Rubber ... 254
M. F. Vaughan: The Characterization of Semi-Permeable Membranes for Osmotic Measurements ... 255
John Rehner, Jr.: On the Oxidation Mechanism of Rubbers in the Presence of Inhibitors ... 256

Issue No. 3, May-June

L. Bateman, R. W. Glazebrook, and C. G. Moore: The Reaction of Sulfur and Sulfur Compounds with Olefinic Substances. Part XII. Effects of Vulcanizing Additives on the Reaction of Sulfur with 2,6-Dimethylocta-2,6-diene, and Their Bearing on the Mechanism of Sulfur Vulcanization of Natural Rubber ... 257
J. M. R. Quistwater and B. A. Bunell: Dynamic Mechanical Properties of Nylon 66 and the Plasticizing Effect of Water Vapor on Nylon. II ... 267
J. Moacanin: Diisocynate-Linked Polymers. I. Dilute-Solution Properties of Toluene Diisocyanate-Extended Polypropylene Glycol ... 272
George L. Brown and B. S. Garrett: Latex Thickening: Interactions between Aqueous Polymeric Dispersions and Solutions ... 283
W. Burlant, D. Green, and C. Taylor: γ-Irradiation of Styrene Copolymers ... 296
C. Mussa I.V.: Molecular Weight Distribution and Polymerization Kinetics in Some New Catalytic Processes ... 300
M. I. Bro: The Stability of Fluorine-Containing Polymers to Amines ... 310
J. A. Howsmon and R. H. Marchessault: The Ball-Milling of Cellulose Fiber and Recrystallization Effects ... 313
W. S. Zimmt: The Emulsion Polymerization of Methyl Methacryate ... 323
W. Cooper, G. Vaughan, and R. W. Madden: Molecular Weights of Polymethyl Methacrylate in Rubber-Methyl Methacrylate Graft Copolymers ... 329
J. Reid Shelton and E. T. McDonel: An Apparatus for Quantitative Gas-Absorption Measurements ... 336
C. H. Klute: Diffusion of Small Molecules in Semicrystalline Polymers: Water in Polyethylene ... 340
Richard G. Bauman and John W. Born: The Mechanism of Radiation Damage to Elastomers. I. Chain Scission and Antirad Action ... 351
Orville J. Sweeting, Roman Mykolajewycz, Eric Wellisch, and Richard N. Lewis: Softener Absorption by Regenerated Cellulose. Uptake from 10% Aqueous Glycerol ... 356
E. V. Gouinlock, Jr., C. J. Verbanic, and G. C. Schweiker: Condensation Polymers Containing Fluorine. II. Physical Characterization of Linear Polyesters from Hexafluoropentanediol ... 361

LETTERS TO THE EDITORS

D. Ballantine, D. J. Metz, J. Gard, and G. Adler: Temperature Stability and Homogeneity of Polystyrene-Polyethylene Grafts ... 371
M. Feughelman and M. S. M. Robinson: A Note on the Diffusion of Water into a Dry Keratin Fiber ... 371
C. C. Menon and S. L. Kapur: Graft Polymerization of Methyl Methacrylate with Natural Rubber in Emulsion ... 372
F. E. Bailey, Jr., and R. W. Callard: Thermodynamic Parameters of Poly(ethylene Oxide) in Aqueous Solution ... 373
E. M. Bevilacqua: Effect of Carbon Black on TMTD Vulcanization ... 374
R. C. Laible, R. M. Esteve, and J. D. Margerum: The Preparation and Polymerization of Triallyl Phosphite ... 376

AUTHOR INDEX, VOLUME I ... 379

SUBJECT INDEX, VOLUME I ... 380

AUTHOR INDEX, VOLUME I

Adler, G.: see Ballantine, D.
Aggarwal, S. L., Tilley, G. P., and Sweeting, O. J.: Orientation in extruded polyethylene films, 91
Alsup, R. G., Punderson, J. O., and Leverett, G. F.: The effect of solvents on high molecular weight, stable acetal resins, 185
Anderson, D. A., and Freeman, E. S.: The kinetics of the thermal degradation of the synthetic styrenated polyester, Laminac 4116, 192
Bailey, F. E., Jr., and Callard, R. W.: Some properties of poly(ethylene oxide) in aqueous solution, 56
——, and ——: Thermodynamic parameters of poly(ethylene oxide) in aqueous solution, 373
Ballantine, D., Metz, D. J., Gard, J., and Adler, G.: Temperature stability and homogeneity of polystyrene-polyethylene grafts, 371
Bateman, L., Glazebrook, R. W., and Moore, C. G.: The reaction of sulfur and sulfur compounds with olefinic substances. Part XII. Effects of vulcanizing additives on the reaction of sulfur with 2,6-dimethylocta-2,6-diene, and their bearing on the mechanism of sulfur vulcanization of natural rubber, 257
Bauman, R. G., and Born, J. W.: The mechanism of radiation damage to elastomers. I. Chain scission and antirad action, 351
Baumann, G. F., and Steingiser, S.: Colorimetric differentiation of polyester and polyether-based urethane polymers, 251
Becker, H. A.: A study of diffusion in solids of arbitrary shape, with application to the drying of the wheat kernel, 212
Bevilacqua, E. M.: Effect of carbon black on TMTD vulcanization, 374
Born, J. W.: see Bauman, R. G.
Breton, E. J.: see Reid, C. E.
Bro, M. I.: The stability of fluorine-containing polymers to amines, 310
Brooks, R. E.: see Starkweather, J. W.
Brown, G. L., and Garrett, B. S.: Latex thickening: Interactions between aqueous polymeric dispersions and solutions, 283
Bueche, F.: Dynamics of loosely cross-linked polymer networks, 240
Burlant, W., Green, D., and Taylor, C.: γ-Irradiation of styrene copolymers, 296
Callard, R. W.: see Bailey, F. E., Jr.
Campbell, T. W., and Haven, A. C., Jr.: The relationship between structure and properties of crystalline, high-melting polyhydrocarbons, 73
Ceresa, R. J., and Watson, W. F.: Mastication of rubber. VII. Mechanical degradation of polymers during mastication, 101
Cooper, W., and Vaughn, G.: The graft polymerization of methyl methacrylate to natural rubber, 254
——, ——, and Madden, R. W.: Molecular weights of polymethyl methacrylate in rubber-methyl methacrylate graft copolymers, 329
Dannis, M. L.: Thermal expansion measurements and transition temperatures, first and second order, 121
Dunel, B. A.: see Quistwater, J. M. R.
Dunn, J. R., and Scanlan, J.: The aging of thiuram disulfide vulcanizates and their mechanism of vulcanization, 84
Esteve, R. M: see Laible, R. C.
Feughelman, M., and Robinson, M. S. M.: A note on the diffusion of water into a dry keratin fiber, 372
Freeman, E. S.: see Anderson, D. A.
Gard, J.: see Ballantine, D.
Garrett, B. S.: see Brown, G. L.
Gent, A. N., and Thomas, A. G.: The deformation of foamed elastic materials (with an Appendix by T. D. Pendle), 107
Gill, S. J: Anisotropic properties of strained viscoelastic fluids. I. A method for measuring strain birefringence, 17
Glazebrook, R. W.: see Bateman, L.
Goodman, H. H.: see Linton, W. H.
Gouinlock, E. V., Jr., Verbanic, C. J., and Schweiker, C. G.: Condensation polymers containing fluorine. II. Physical characterization of linear polyesters from hexafluoropentanediol, 361
Green, D.: see Burlant, W.
Hammer, C. F., Koch, T. A., and Whitney, J. F.: Fine structure of acetal resins and its effect on mechanical properties, 169
Hansen, R. H.: see Hawkins, W. L.
Harper, B. G.: Preparation of porous membranes, 50
Haugh, E. F.: Time, temperature, and linear viscoelasticity, 144
Haven, A. C., Jr.: see Campbell, T. W.
Hawkins, W. L., Hansen, R. H., Matreyek, W., and Winslow, F. H.: The effect of carbon black on thermal antioxidants for polyethylene, 37
——, Lanza, V. L., Loeffler, B. B., Matreyek, W., and Winslow, F. H.: New thermal antioxidants for polyethylene containing carbon black, 43
Howsmon, J. A., and Marchessault, R. H.: The ball-milling of cellulose fibers and recrystallization effects, 313
Hunter, M. J.: see Polmanteer, K. E.
Hunter, W. L.: see Levi, D. W.
Irie, F.: see Ishida, Y.
Ishida, Y., Yōshino, M., Takayangani, M., and Irie, F.: Dielectric studies on cellulose fibers, 227
Kapur, S. L.: see Menon, C. C.
Klute, C. H: Diffusion of small molecules in semicrystalline polymers: Water in polyethylene, 340
Koch, T. A., and Lindvig, P. E.: Molecular structure of high molecular weight acetal resins, 164
——: see Hammer, C. F.
Kolthoff, I. M., and Meehan, E. J.: Redox recipes. X. A recipe with ferric versenate, sodium dithionite, and hydroperoxide as activating system (veroxathionite recipe), 200
Koppehele, H. P.: see Passaglia, E.
Kurath, S. F., Passaglia, E., and Pariser, R.: The dynamic mechanical properties of Hypalon-20 synthetic rubber at small strains, 150
Laible, R. C., Esteve, R. M., and Margerum, J. D.: The preparation and polymerization of triallyl phosphite, 376
Lanza, V. L.: see Hawkins, W. L.
Lazor, J. T.: A study of particle initiation in vinyl chloride emulsion polymerization using response surface experimentation, 11
Leverett, G. F.: see Alsup, R. G.
Levi, D. W., Scherer, P. C., Washimi, K., and Hunter, W. L.: Viscosity of polyvinyl alcohol, 127
Lewis, R. N.: see Sweeting, O. J.
Lindvig, P. E.: see Koch, T. A.
Linton, W. H., and Goodman, H. H.: Physical properties of high molecular weight acetal resins, 179
Lloyd, D. G.: Ultraviolet spectroscopic studies on aqueous polyvinyl alcohol solutions. Part I. Characterization of chromophores, 70
Loeffler, B. B.: see Hawkins, W. L.
MacDonald, R. N.: see Schweitzer, C. E.
McDonel, E. T.: see Shelton, J. R.
Madden, R. W.: see Cooper, W.
Marchessault, R. H.: see Howsmon, J. A.
Margerum, J. D.: see Laible, R. C.
Mason, P.: The viscoelastic behavior of rubber in extension, 63
Matreyek, W.: see Hawkins, W. L.
Meehan, E. J.: see Kolthoff, I. M.
Menon, C. C., and Kapur, S. L.: Graft polymerization of methyl methacrylate with natural rubber in emulsion, 372
Metz, D. J.: see Ballatine, D.
Moacanin, J.: Diisocyanate-linked polymers. I. Dilute-solution properties of toluene diisocyanate-extended polypropylene glycol, 272
Moore, C. G.: see Bateman, L.
Mullins, L., and Watson, W. F.: Mastication. IX. Shear-dependence of degradation on hot mastication, 245
Mussa, C., I.V.: Molecular weight distribution and polymerization kinetics in some new catalytic processes, 300
Mykolajewcyz, R.: see Sweeting, O. J.
Nielsen, L. E.: The apparent domain structure of polystyrene as revealed by liquid and vapor crazing, 24
Ohlberg S. M., Roth, J., and Raff, A. V.: Relationship between impact strength and spherulite growth in linear polyethylene, 114
Pariser, R.: see Kurath, S. F.
Passaglia, E., and Koppehele, H. P.: The force-temperature behavior of swollen cellulose model filaments, 28
——: see Kurath, S. F.
Pendle, T. D.: see Gent, A. N.
Polmanteer, K. E., and Hunter, M. J.: Polymer composition versus low-temperature characteristics of polysiloxane elastomers, 3
Punderson, J. O.: see Alsup, R. G.
——: see Schweitzer, C. E.
Quistwater, J. M. R., and Dunell, B. A.: Dynamic mechanical properties of nylon 66 and the plasticizing effect of water vapor on nylon. II, 267
Rady, A. A.: Dynamical properties of the new "rubber-like" irradiated polyethylene, 129
Raff, A. R. V.: see Ohlberg, S. M.
Rehner, J., Jr.: On the oxidation mechanism of rubbers in the presence of inhibitors, 256
Reid, C. E., and Breton, E. J.: Water

and ion flow across cellulosic membranes, 133
Robinson, M. S.: see Feughelman, M.
Roth, J.: see Ohlberg, S. M.
Scanlan, J.: see Dunn, J. R.
Scherer, P. C.: see Levi, D. W.
Schweiker, G. C.: see Gouinlock, E. V.
Schweitzer, C. E., MacDonald, R. N., and Punderson, J. O.: Thermally stable high molecular weight polyoxymethylenes, 158
Shelton, J. R., and McDonel, E. T.: An apparatus for quantitative gas-absorption measurements, 336
Shinohara, Y.: Dynamic mechanical properties of graft copolymers of nylon, 251
Starkweather, H. W., and Brooks, R. E.: Effect of spherulites on the mechanical properties of nylon 66, 236
Steingiser, S.: see Baumann, G. F.
Sweeting, O. J., Mykolajewycz, R., Wellisch, E., and Lewis, R. N.: Softener absorption by regenerated cellulose. Uptake from 10% aqueous glycerol, 356
——: see Aggarwal, S. L.
Takayanagi, M.: see Ishida, Y.
Taylor, C.: see Burlant, W.
Thomas, A. G.: see Gent, A. N.
Tilley, S. L.: see Aggarwal, S. L.
Vaughan, G.: see Cooper, W.
Vaughan, M. F.: The characterization of semi-permeable membranes for osmotic measurements, 255
Verbanic, C. J.: see Gouinlock, E. V., Jr.
Washimi, K.: see Levi, D. W.
Watson, W. F.: see Ceresa, R. J.
——: see Mullins, L.
Wellisch, E.: see Sweeting, O. J.
Whitney, J. F.: see Hammer, C. F.
Winslow, F. H.: see Hawkins, W. L.
Yōshino, M.: see Ishida, Y.
Zimmt, W. S.: The emulsion polymerization of methyl methacrylate, 323

SUBJECT INDEX, VOLUME I

Acetal resins, effect of solvents, on, 185
fine structure, 169
molecular structure, 164
physical properties, 179
Carbon black, effect on thermal antioxidants for polyethylene, 37
effect on TMTD vulcanization, 374
thermal antioxidants for polyethylene containing, 43
Catalytic processes, molecular weight distribution and polymerization kinetics, 300
Cellulose, fibers of, ball-milling, 313
force-temperature behavior, 28
regenerated, softener absorption by, 356
water and ion flow across membranes of, 133
Chain scission, in radiation of elastomers, 351
Colorimetric differentiation, urethane polymers, 251
Condensation polymers, containing fluorine, 361
Crazing, and apparent domain structure of polystyrene, 24
Deformation, foamed elastics materials, 107
Degradation, shear-dependence of, 245
thermal, of synthetic styrenated polyester, 192
Diffusion, in semicrystalline polymers, 340
in solids or arbitrary shape, 212
of water into a dry keratin fiber, 372
Dynamic mechanical properties, graft copolymers of nylon, 251
Hypalon-20 synthetic rubber, 150
nylon 66, 267
Dynamical properties, irradiated polyethylene, 129
Dynamics, polymer networks, 240
Elastomers, mechanism of radiation damage to, 351
Emulsion polymerization, methyl methacrylate, 323
vinyl chloride, 11
Fluorine, in condensation polymers, 361
Flurone-containing polymers, stability to amines, 310
Gamma irradiation, styrene copolymers, 296
Gas-absorption measurements, apparatus for, 336
Graft copolymers, of nylon, dynamic mechanical properties, 251
Graft polymerization, methyl methacrylate and natural rubber, 254, 372
Hypalon-20, dynamic mechanical properties, 150
Inhibitors, and oxidation mechanism of rubber, 256
Initiation, by particles, vinyl chloride emulsion polymerization, 11
Keratin, diffusion of water into, 372
Kinetics, of polymerization, in catalytic processes, 300
thermal degradation of synthetic styrenated polyester, 192
Laminac 4116, kinetics of thermal degradation, 192
Latex thickening, 283
Mastication, 245
of rubber, 101
Mechanical degradation, during mastication, 101
Mechanical properties, acetal resins, 169
nylon 66, 236
Membranes, cellulosic, water and ion flow across, 133
porous, preparation of, 50
semi-permeable, for osmotic measurements, 255
Methyl methacrylate, emulsion polymerization, 323
graft copolymers with rubber, 329
graft polymerization with natural rubber, 254, 372
Molecular weight, polymethyl methacrylate, 329
Molecular weight distribution, in catalytic processes, 300
Nylon, dynamic mechanical properties of graft copolymers of, 251
Nylon 66, dynamic mechanical properties, 267
effect of spherulites on mechanical properties of, 236
Olefins, reaction with sulfur and sulfur compounds, 257
Orientation, polyethylene films, 91
Osmotic measurements, 255
Polyesters, from hexafluoropentanediol, 361
Polyethylene, containing carbon black, thermal antioxidants for, 43
diffusion of water in, 340
effect of carbon black on thermal antioxidants for, 37
grafts with polystyrene, temperature stability and homogeneity, 371
impact strength and spherulite growth relationship, 114
irradiated, dynamical properties, 129
orientation of films, 91
Polyethylene oxide, properties in aqueous solution, 56
thermodynamic parameters, 373
Polyhydrocarbons, structure and property relationship, 73
Polymer networks, dynamics, 240
Polyoxymethylene, 158
Polymethyl methacrylate, molecular weight, 329
Polypropylene glycol, properties, 272
Polysiloxane elastomers, 3
Polystyrene, apparent domain structure, 24
grafts with polyethylene, temperature stability and homogeneity, 371
Polyvinyl alcohol, ultraviolet spectroscopic studies, 70
viscosity, 127
Radiation, and damage to elastomers 351
Redox recipes, 200
Rubber, graft copolymers with methyl methacrylate, 329
mastication, 101
natural, graft polymerization with methyl methacrylate, 254, 372
natural, mechanism of sulfur vulcanization, 257
oxidation mechanism, 256
synthetic, dynamic mechanical properties, 150
viscoelastic behavior in extension, 63
Spherulites, effect on mechanical properties of nylon 66, 236
polyethylene, 114
Strain birefringence, measurement, 17
Styrene, copolymers of, gamma irradiation, 296
Thermal antioxidants, effect of carbon black on, 37
for polyethylene containing carbon black, 43
Thermal degradation, synthetic styrenated polyester, 192
Thermal expansion, 121
Thiuram disulfide, aging as vulcanizates, 84
Transition temperatures, 121
Triallyl phosphite, preparation and polymerization, 376
Ultraviolet spectroscopy, polyvinyl alcohol, 70
Urethane polymers, colorimetric differentiation, 251
Veroxathionite recipe, 200
Vinyl chloride, emulsion polymerization, 11
Viscoelastic behavior, rubber in extension, 63
Viscoelastic fluids, strained, anisotropic properties of, 17
Viscoelasticity, linear, 144
Viscosity, polyvinyl alcohol, 127
Vulcanizates, thiuram disulfide, 84
Vulcanization, natural rubber, 257
of TMTD, effect of carbon black on, 374